

# T-100D & T-200

**Continuous Envelope  
Feeding System  
for RISO  
digital  
duplicators**



With the T-100D, Thompson Manufacturing builds on over 25 years experience of providing robust feeding and conveyor systems to the commercial printing industry. In-plants, commercial printers, quick printers, and copy shops will expand revenue-generating opportunities by printing envelopes, postcards, flyers and more. By reloading stocks on-the-fly, the top-load bottom-feed design delivers an unlimited stream of envelope and postcard stocks to RISO digital duplicators. Compared to a traditional offset printing process, the combination of a RISO digital duplicator and the T-100D results in maximum productivity and throughput, shorter run lengths, and turn-around timeframes of hours, not weeks. Avoid interrupting production to unload finished product with the optional T-200 exit conveyor.

- Feeds a large variety of envelope sizes and card stock
- Increases and maximizes production throughput
- Continuous top-load, bottom-feed system
- Quick set-up, simple to operate
- Automatically matches speed of the printer
- Compact size
- Easy to move
- Low maintenance
- Built to last

**RISO, Inc.** 300 Rosewood Drive, Danvers, MA 01923  
Tel: 800-876-RISO (ref. 501) <http://us.riso.com>

©Copyright 2011 RISO, Inc. All rights reserved. No part of this document may be reproduced without permission of RISO, Inc. All products are trademarks of their respective companies. Specifications subject to change without notice. Printed in the USA.

## T-100D envelope feeder specifications

<b>length</b>	36"
<b>width</b>	Between side covers: 12" Feeder Table: 8"
<b>height</b>	Max: Feed Table 28", Min: Feed Table 18"
<b>base</b>	Mobile (mounted on rollers)
<b>weight</b>	75 lbs.
<b>speed</b>	Automatically matches speed of RISO printer
<b>paper stock sizes</b>	Variable from 3" x 5" up to 6.5" x 13"
<b>paper stock weights</b>	Minimum 24 lb envelopes, maximum 110 lb. index
<b>capacity</b>	Holds 500 at start up & continuous feed thereafter
<b>compatibility</b>	RISO RZ, MZ & EZ Series digital duplicators
<b>power</b>	115V, 60HZ, 1A full load amp
<b>accessories</b>	Optional T-200 conveyor at delivery end

## T-200 exit conveyor specifications

<b>model</b>	T-200
<b>length x width</b>	36" x 11"
<b>height</b>	Adjustable from 12" to 38"
<b>weight</b>	35 lbs.
<b>speed</b>	variable
<b>compatibility</b>	RISO RZ, MZ & EZ Series digital duplicators
<b>power</b>	115V, 60HZ, 2A full load amps

  
**Ink and Ingenuity**